

使用说明

全自动咖啡机
CM3

1		2
2		6
3		8
4		12
5		18
6		20
7		23
8		24

第 1 章 注意事项

引言

欢迎

机器说明

- 01.
- 02.
- 03.

注意!

- 01.
- 02.
- 03.

⚠警告!

- 01.
- 02.
- 03.
- 04.
- 05.

- 06.
- 07.

- 01.
- 02.
- 03.
- 04.
- 05.
- 06.
- 07.
- 08.

- 01.
- 02.

对机器的危害

- 01. 5° dKH
- 02. /
- 03.
- 04.
- 05.
- 06.

“ ”

- 07.
- 08.
- 09.
- 10.
- 11.
- 12.
- 13.

10

- 14.
- 15.
- 16.

清洁片引起的危险

- 01.
- 02.
- 03.
- 04.
- 05.
- 06.
- 07.
- 08.
- 09.
- 10.

() /

- 01.
- 02.
- 03.
- 04.
- 05.
- 06.
- 07.

卫生条例

- 01.
- 02.

&

- 01.
- 02.
- 03.
- 04.
- 05.
- 06.
- 07.
- 08.

“ ”

- 01.
- 02.
- 03.
- 04.
- 05.
- 06.
- 07.
- 08.
- 09.
- 10.
- 11.
- 12.
- 13.
- 14.

3-5


7

“ ”

第 2 章 产品安装


包装拆除

各部件名称



装箱明细

	1	1		1	1	




安装与调试

安放要求

- 1.
 - 2.
 - 3.
 - 4. 1m
 - 5.
- 5cm

- 1. +5 +40 +41 +104
- 2. 80 % RH
- 3.
- 4. 0

- 1.
- 2. 1.5mm²
- 3.
- 4.






饮品制作

咖啡饮品

1. “ ” “ ”
2. “ ” “ ”
- 3
- “ ”



牛奶饮品

1. “ ” “ ”
2. “ ” “ ” “ ”
3. “ ” “ ”
- 3
- “ ”




29

29

29

3



第 4 章 清洁与保养

日常清洁

冲煮系统快速冲洗

“

”

“ 01 ” “ 3 ”



李冲阳

渣甸湾里

U


水

磨豆组调节粗细

1.

5

2.



日常使用与维护注意事项

01.

02.

03.

04.

05.

06.

07.

MAX

MAX

8

08.

09.

10.

11.

12.

13.

第 5 章 故障排除

		
		30
		
		
		2/3
		2/3
		
		
		
		

E1-E8 故障对应如下：

E1		30
E2		30
E3		
E4		
E5		
E6		
E7		
E8		

第 6 章 产品规格

产能描述

DIN18873-2

	10
30mL	50 /
240mL	35 /
180mL	30 /
	8L
	1.5L
	250g
	10

技术参数

	CM3
	220V
	50Hz
	1350W
	464mm *237mm *387mm
	GB/T 4706.19 GB/T 4706.1
CMIIT ID	2020DP12544

电气原理图

泄压步进电机
干簧管
电热盘温度
NTC
待

《废弃电器电子回收处理条例》提示性说明

食品安全申明

	ABS AS TPU	GB4806.7	

第 7 章 保修说明

- 1.
- 2.

保修内容

		1

用户责任


12 30

质保和赔偿责任

“ ”

第 8 章 售后服务

全国统一服务热线：400 8288086
微信扫描：莱克官方“小菜到家”小程序



售后服务的保证

- 1.
- 2.
- 3.

维修记录

用户登记信息

1

_____	_____
_____	_____

_____	_____
_____	_____

合 格 证

检验员_____08_____

2P-01

400 9288080